

STRONGYLES

MEDICATION/DRUG	DOSAGE	VIA	DURATION	ACTIVE INGREDIENT	STRENGTH
Cydectin Oral Sheep Drench	1cc per 11 lbs.	PO	1x and repeat in 14 days	Moxidectin	.1% (1mg/ml) or (5mg/ml) 0.4 mg/kg
Dectomax	1cc per 70 lbs.	SQ	3-5 days (prevention monthly)	Doramectin	10mg/ml
Equimax Paste	1cc per 100 lbs.	PO	1x and repeat in 7-10 days	Ivermectin and Praziquantel	1.87% and 14.03%
Levamisole	2cc per 100 lbs.	PO	1x and repeat in 14 days	Levamisole Hydrochloride	13.65% (136.5 mg/ml)
Panacur	22-25cc per 100 lbs.	PO	3-5 days and repeat in 10 days	Fenbendazole	100mg/g
Quest Plus Gel	.9cc per 100 lbs.	PO	1x	Moxidectin and Praziquantel	20mg/ml and 125 mg/ml 2%
Synanthic	8.5cc per 100 lbs.	PO	1-3 days	Oxfendazole	22% (220mg/ml) (9.06% 90.6 mg/ml)
Valbazen (not for pregnant or cria)	6cc per 100 lbs.	PO	1 days	Albendazole	113.6 mg/ml
Safe-Guard Paste (not very effective in S.East)	20mg/kg	PO	1x	Fenbendazole	10% (100mg/g)
Safe-Guard Liquid	10cc per 110 lbs.	PO	3-5 days	Fenbendazole	10% (100mg/ml)

HAEMONCHUS

MEDICATION/DRUG	DOSAGE	VIA	DURATION	ACTIVE INGREDIENT	STRENGTH
Cydectin Oral Sheep Drench	1cc per 11 lbs.	PO	1x and repeat in 14 days	Moxidectin	.1% (1mg/ml) or (5mg/ml) 0.4 mg/kg
Dectomax	1cc per 70 lbs.	SQ	3-5 days (prevention monthly)	Doramectin	10mg/ml

Levamisole	2cc per 100 lbs.	PO	1x and repeat in 14 days	Levamisole Hydrochloride	13.65% (136.5 mg/ml)
Synanthic	8.5cc per 100 lbs.	PO	1-3 days	Oxfendazole	22% (220mg/ml) (9.06% 90.6 mg/ml)

COCCIDIA

MEDICATION/DRUG	DOSAGE	VIA	DURATION	ACTIVE INGREDIENT	STRENGTH
Albon Suspension	Day 1: 10cc per 20 lbs. Day 2-5: 5cc per 20 lbs.	PO	5 days. For bad case wait 5 days and repeat for 5.	Sulfadimethoxine	12.5% (125 mg/ml)
Baycox	1.8cc per 10 lbs.	PO	1x	Toltrazuril	50 mg/ml
Corid (can cause thiamine deficiency)	1cc per 18 lbs.	PO	5 days. Wait 5 days and repeat for 5 days.	Amprolium	969 mg/ml 96%
Paravac (Herb)	2cc per 100 lbs.	PO or put on feed	14 days	Herbs	
SMZ/TMP tablet (Sulfa Trim)	1 tab per 50 lbs.	PO	2x per day for 5-7 days	Sulfamethoxazole/ Trimethoprim	960mg per tab. *good for cria*
SMZ/TMP liquid (Sulfa Trim)	1cc per 5 lbs.	PO	2x per day for 5-7 days	Sulfamethoxazole/ Trimethoprim	240 mg/ml *good for cria*

TAPEWORM

MEDICATION/DRUG	DOSAGE	VIA	DURATION	ACTIVE INGREDIENT	STRENGTH
Droncit	1.5mg per lb.	PO or SQ	1x repeat in 10 da	Praziquantel	50mg per tab
Equimax Paste	1cc per 100 lbs.	PO	1x and repeat in 7-10 days	Ivermectin and Praziquantel	1.87% and 14.03%
Panacur	44-50cc per 100 lbs.	PO	3-5 days and repeat in 10 days	Fenbendazole	100mg/g
Quest Plus Gel	.9cc per 100 lbs.	PO	1x	Moxidectin and Praziquantel	20mg/ml and 125 mg/ml 2%
Safe-Guard Paste (not effective in SE)	20mg/kg	PO	1x	Fenbendazole	10% (100mg/g)

Synanthic	4cc per 100 lbs.	PO	1-3 days	Oxfendazole	22% (220mg/ml) (9.06% 90.6 mg/ml)
Valbazen (not for pregnant or cria)	6cc per 100 lbs.	PO	1 days	Albendazole	113.6 mg/ml

NEMATODIRUS

MEDICATION/DRUG	DOSAGE	VIA	DURATION	ACTIVE INGREDIENT	STRENGTH
Droncit	1.5mg per lb.	PO or SQ	3 days	Praziquantel	50mg per tab
Panacur	44-50cc per 100 lbs.	PO	3-5 days and repeat in 10 days	Fenbendazole	100mg/g
Safe-Guard Paste (not effective in SE)	20mg/kg	PO	3-5 days	Fenbendazole	10% (100mg/g)
Valbazen (not for pregnant or cria)	6cc per 100 lbs.	PO	3 days	Albendazole	113.6 mg/ml

WHIPWORM

MEDICATION/DRUG	DOSAGE	VIA	DURATION	ACTIVE INGREDIENT	STRENGTH
Droncit	1.5mg per lb.	PO or SQ	3 days	Praziquantel	50mg per tab
Panacur	88-100cc per 100 lbs.	PO	3-5 days and repeat in 10 days	Fenbendazole	100mg/g
Safe-Guard Paste (not effective in SE)	40mg/kg	PO	3-5 days	Fenbendazole	10% (100mg/g)
Valbazen (not for pregnant or cria)	6cc per 100 lbs.	PO	3 days	Albendazole	113.6 mg/ml

E.MAC

MEDICATION/DRUG	DOSAGE	VIA	DURATION	ACTIVE INGREDIENT	STRENGTH
Baycox	1.8cc per 10 lbs.	PO	3 days	Toltrazuril	50 mg/ml
Marquis	3cc per 100 lbs.	PO	3 days	Ponazuril	150 mg/g
Paravac (Herb)	2cc per 100 lbs.	PO or put on feed	14 days	Herbs	

Synanthic can also be used to treat Lungworms and Hookworms. Dosage: 4cc per 100 lbs.* 1-3 days*